

ROLLING DOORS

DdP No.	PRODUCT IDENTIFICATION	Height/width (mm)	Features
PS/01/2013	PS-55	3500 x 4000	Class 2
PS/02/2013	PS-65 Self-sealing	3500 x 3000	Class2
PS/03/2013	PS-65 Self-sealing	3500 x 4000	Class 1
PS/04/2013	PS-75	3500 x 3500	Class 2
PS/05/2013	PS-78	3140 x 1580	Class 2
PS/06/2013	PS-78	3850 x 3500	Class 2
PS/07/2013	PS-79	4000 x 4300	Class 2
PS/08/2013	PS-79	4000 x 5000	Class 1
PS/09/2013	PS-80 Self-sealing	4000 x 5000	Class 1
PS/10/2013	PS-80 Self-sealing	4000 x 4000	Class 2
PS/11/2013	PS-100	4000 x 3500	Class 2
PS/12/2013	PS-100	4000 x 5000	Class 1
PS/13/2013	PS-100 TUBULAR	4000 x 6000	Class 2
PS/14/2013	PS-100 TUBULAR	4000 x 4000	Class 2
PS/15/2013	PS-110	4000 x 6000	Class 2
PS/16/2013	PS-64	4000 x 3900	Class 2
PS/17/2013	PS-53	4000 x 4200	Class 2
PS/18/2013	PS-85 Straight	4000 x 5000	Class 2
PS/19/2013	PS-100 Straight	4000 x 4200	Class 2



DECLARATION OF FEATURES
DdP Nº PS/01/2013 RPC

1.- Product identification: PS-55

Height: [3500 mm] Width: [4000mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: CSI; Notified Body No. 497

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: CPD 1516/07 of 21 June 2007.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	


The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking



DECLARATION OF FEATURES
DdP Nº PS/02/2013 RPC

- 1.- Product identification: PS-65 Self-sealing
Height: [3500 mm] Width: [3000mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: LGAI Technological Center (Applus); Notified Body no: 0370
- Determination of wind resistance. Evaluation system 3.
- Certificate/Report no: 19/17965-201 of 13 March 2019.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	


The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking




DECLARATION OF FEATURES

DdP Nº PS/03/2013 RPC

1.- Product identification: PS-65 Self-sealing

Height: [3500 mm] Width: [4000mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: Treviso Tecnologia; Notified Body no.: 1600

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: 0181/05 of 12 October 2005.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 1	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking



DECLARATION OF FEATURES
DdP Nº PS/04/2013 RPC

1.- Product identification: PS-75

Height: [3500 mm] Width: [3500mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: Treviso Tecnologia; Notified Body no.: 1600

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: 0177/05 of 27 September 2005.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/05/2013 RPC

1.- Product identification: PS-78

Height: [3140 mm] Width: [1580mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: LGAI Technological Center (Applus); Notified Body no: 0370

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: 19/17965-143 of 11 March 2019.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	


The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking




DECLARATION OF FEATURES
DdP Nº PS/06/2013 RPC

1.- Product identification: PS-78

Height: [3850 mm] Width: [3500mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: LGAI Technological Center (Applus); Notified Body no: 0370

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: 19/17965-81 of 11 March 2019.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Thermal Resistance	NPD	
Resistance to wind load	Class 2	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/07/2013 RPC

- 1.- Product identification: PS-79
Height: [4000 mm] Width: [4300mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: LGAI Technological Center (Applus); Notified Body no: 0370
- Determination of wind resistance. Evaluation system 3.
- Certificate/Report no: 19/17965-201 of 13 March 2019.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking



DECLARATION OF FEATURES
DdP Nº PS/08/2013 RPC

1.- Product identification: PS-79

Height: [4000 mm] Width: [5000mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: Treviso Tecnologia; Notified Body no.: 1600

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: 0183/05 of 27 September 2005.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 1	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	


The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking




DECLARATION OF FEATURES
DdP Nº PS/09/2013 RPC

1.- Product identification: PS-80

Height: [4000 mm] Width: [5000mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: Treviso Tecnologia; Notified Body no.: 1600

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: 0180/05 of 26 July 2005.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 1	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/10/2013 RPC

- 1.- Product identification: PS-80
Height: [4000 mm] Width: [4000mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: LGAI Technological Center (Applus); Notified Body no: 037
- Determination of wind resistance. Evaluation system 3.
 - Certificate/Report no: 19/17965-201 of 13 March 2019.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/11/2013 RPC

1.- Product identification: PS-100

Height: [4000 mm] Width: [3500mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: Treviso Tecnologia; Notified Body no.: 1600

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: 0256/05 of 12 October 2005.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/12/2013 RPC

- 1.- Product identification: PS-100
Height: [4000 mm] Width: [5000mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: Treviso Tecnologia; Notified Body no.: 1600
- Determination of wind resistance. Evaluation system 3.
- Certificate/Report no: 0179/05 of 27 September 2005.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 1	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	


The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking




DECLARATION OF FEATURES
DdP Nº PS/13/2013 RPC

- 1.- Product identification: PS-100 Tubular
Height: [4000 mm] Width: [6000mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: CSI; Notified Body No.: 0497
- Determination of wind resistance. Evaluation system 3.
 - Certificate/Report no: CPD 1517/07 of 21 June 2007.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/14/2013 RPC

- 1.- Product identification: PS-100 Tubular
Height: [4000 mm] Width: [4000mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: CSI; Notified Body No.: 0497
- Determination of wind resistance. Evaluation system 3.
- Certificate/Report no: CPD 1515/07 of 21 June 2007.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/15/2013 RPC

- 1.- Product identification: PS-110
Height: [4000 mm] Width: [6000mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: LGAI Technological Center (Applus); Notified Body no: 0370
- Determination of wind resistance. Evaluation system 3.
 - Certificate/Report no: 19/17965-201 of 13 March 2019.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking



DECLARATION OF FEATURES
DdP Nº PS/16/2013 RPC

- 1.- Product identification: PS-64
Height: [4000 mm] Width: [3900mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: Fempa; Notified Body No.: 2256
- Determination of wind resistance. Evaluation system 3.
- Certificate/Report no: SE-00363/02 V1 of 8 November 2013.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	


The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking




DECLARATION OF FEATURES
DdP Nº PS/17/2013 RPC

1.- Product identification: PS-53

Height: [4000 mm] Width: [4200mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: Fempa; Notified Body No.: 2256

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: SE-00363/04 V1 of 11 November 2013.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/18/2013 RPC

- 1.- Product identification: PS-85 R
Height: [4000 mm] Width: [5000mm]
- 2.- Name and address of the manufacturer:
GIMÉNEZ GANGA S.L.U. www.saxun.com
Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN
- 3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.
- 4.- Evaluation system: System 3
- 5.- Notified body: Fempa; Notified Body No.: 2256
- Determination of wind resistance. Evaluation system 3.
- Certificate/Report no: SE-00363/01 V1 of 8 November 2013.
- 6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	



The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

DECLARATION OF FEATURES
DdP Nº PS/19/2013 RPC

1.- Product identification: PS-100 R

Height: [4000 mm] Width: [4200mm]

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Industrial, commercial or garage door without fire resistance or smoke control service.

4.- Evaluation system: System 3

5.- Notified body: Fempa; Notified Body No.: 2256

- Determination of wind resistance. Evaluation system 3.

- Certificate/Report no: SE-00363/03 V1 of 8 November 2013.

6.- Declared features

Essential characteristics	Features	Harmonised standard
Watertightness	NPD	EN 13241:2003+A2:2016
Discharge of hazardous substances	No discharge	
Resistance to wind load	Class 2	
Thermal Resistance	NPD	
Air permeability	NPD	
Safe opening	Passes	
Mechanical strength	Passes	
Manoeuvring strength	Passes	
Durability	20,000 cycles	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Pla
Responsible for CE marking

