



saxun[•]
by Giménez Ganga

Sun Protection solutions for outdoors

Protecting your privacy

Vertical outdoor sun protection systems are specially designed to provide vertical shading and protect the space from horizontal rays in the early morning and evening.

The entire Eros range offers great performance against solar radiation and strong winds for terraces and the gardens of homes, villas and country houses. These systems perfectly complement Saxun's bioclimatic awnings and pergolas.

In the hospitality industry, systems like the SRS system protect openings with an attractive design, and can be integrated into the establishment's home automation system to optimise energy management.

Eros

This drop-down awning is designed to create lateral structures thanks to the movement of the guided fabric. A system that offers optimum wind resistance and, in its blind version, allows you to create enclosed spaces that offer privacy, as the fabric has no window.



SRS

SRS

A cutting-edge system that offers multiple installation options that addresses a wide range of requirements both for the housing sector and for industrial and service uses.

Robust fittings and components give it an attractive design to meet the needs of any space.






Drop-down awning

Eros Blind

Eros Spire



- Made of acrylic canvas, PVC, screen fabrics, soltis and stabilised glass.
- Two glass finish options: smooth or striped.

Mobilisation

-  Motorized
-  Automated
-  Manual

↔ máx.	Maximum dimensions	
	Maximum height	3,25 m
	Maximum width	5,00 m

⚙	Maximum wind resistance	
	EN13561 Standard	
	CLASS 2	5,00x2,50 m




Available configurations


Supports		Guiding system	Fixing
• With box	Box 110 Round	• Guide 120 • Guide 33	• Floor • Wall
	Box 110 Square		
• Without box		• Rod • Cable	

Supports


Frontal




Ceiling



Box 110 Square




Box 110 Round



Support fixing · Cable system

Floor fixing




Wall fixing




Support fixing · Rod system

Floor fixing




Wall fixing




Guiding system

Guide profile



Guide 33x23



Measurements in mm.

For more information download the technical data sheet.



Eros Blind





Eros Spire




Guided awning
SRS

- Total protection of the canvas thanks to the effectiveness of its cassette.
- Guidance of the fabric through steel cables.
- Easy installation on ceilings or walls.

Mobilisation


-  Motorized
-  Automated

↔ máx.	Maximum dimensions	
	Maximum height	3,40 m
	Maximum width	4,00 m
⚡ Maximum wind resistance		
	EN13561 Standard	
	CLASS 2	4,00x3,40 m




Supports

Wall



Measurements in mm.

Floor



For more information download the technical data sheet.



Your world,
our universe.

