

saxun®

Plisadas 5.1

[Basic](#)

[Basic Perla](#)

[Basic La Paz](#)

Plisadas 5.2

[Milán](#)

[Beautiful](#)

[Black-Out](#)

Plisadas 5.3

[Palma Basic](#)

[Palma Black-Out](#)

[Atlanta FR Basic](#)

[Atlanta FR Black-Out](#)

Pinche sobre cada una de las colecciones para navegar a través del documento.

Click on each of the collections to navigate through the document.

Cliquez sur chacun des collections afin de parcourir le document.



Basic

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques

Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	235 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	72 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	Ignífugo <i>Fireproof</i> Ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Basic Perla

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques

Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	235 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	94 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	Ignífugo <i>Fireproof</i> Ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Basic La Paz

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques


Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	235 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	86 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	No ignífugo <i>Not fireproof</i> Non ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Milán

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques

Composición <i>Composition</i> Composition	100% PES Trevira CS
Ancho de rollo <i>Roll width</i> Largeur du rouleau	235 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	135 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	Ignífugo <i>Fireproof</i> Ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Beautiful

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques

Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	235 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	110 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	Ignífugo <i>Fireproof</i> Ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Black-Out

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques


Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	235 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	223 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	No ignífugo <i>Not fireproof</i> Non ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Palma Basic

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques

Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	300 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	20 mm = 150 gr 25 mm = 144 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	No ignífugo <i>Not fireproof</i> Non Ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Palma Black-Out

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques

Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	300 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	20 mm = 164 gr 25 mm = 169 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	No ignífugo <i>Not fireproof</i> Non Ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Atlanta FR Basic

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques

Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	305 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	25 mm = 138 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	Ignífugo <i>Fireproof</i> Ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

Atlanta FR Black-Out

CARACTERÍSTICAS TÉCNICAS

Technical characteristics

Caractéristiques techniques

Composición <i>Composition</i> Composition	100% PES
Ancho de rollo <i>Roll width</i> Largeur du rouleau	305 cm
Peso por m² <i>Weight per m²</i> Poids par m ²	25 mm = 166 gr
Clasificación resistencia al fuego <i>Fire classification</i> Résistance au feu	Ignífugo <i>Fireproof</i> Ignifugé
Uso recomendado <i>Recommended use</i> Usage recommandé	Interior <i>Interior</i> Intérieur
Mantenimiento <i>Maintenance</i> Maintenance	Paño seco <i>Dry cloth</i> Chiffon sec
Aplicaciones <i>Applications</i> Applications	

saxun[®]

Pinche sobre el logotipo para volver a la portada del documento.

Click on the logo to return to the main page of the document.

Cliquez sur le logo pour revenir à la page principale du document.